

Fair Wear & Tear Guide



What is Fair Wear & Tear

Fair wear and tear summarises the degree of deterioration judged to be reasonable at the end of a contract period. Taking into account a vehicle's age and mileage and covering overall condition, from the mechanics and the electrics through to the bodywork and the upholstery,

Lack of attention to preventative measures, misuse or neglect are the main reasons fleet vehicles suffer from excessive wear and tear.

Fleet operators can expect to incur refurbishment charges from leasing companies if a vehicle is returned with an unreasonable level of wear and tear at the end of a contract period.

Some amount of wear and tear damage may occur through normal, everyday business use, especially for high mileage fleet vehicles. After a typical fleet lifespan of three years or 100,000 kilometres, for example stone chips and minor abrasion to a vehicle's paint work would be deemed fair wear and tear for its age and would not adversely affect the disposal price. If the stone chip damage had exposed the base metal, however, and failure to touch it up had caused penetrating rust to set in, the deterioration would not be acceptable as fair wear and tear.

The main question then becomes one of responsibility - where the buck starts and stops.

What you should know

All fleet vehicle users should be aware of the principle of fair wear and tear, along with fleet operators and supervisors. On the vehicle's return, it is to be inspected and formal agreement documents signed. In instances of disputes an independent assessment should be made.

In brief

- fair wear and tear summarises the degree of deterioration judged to be reasonable when a fleet vehicle is returned at end of a contract period;
- lack of attention to detail, misuse or neglect are the main reasons fleet vehicles suffer from unreasonable levels of fair wear and tear. Some amount of wear and tear damage may occur through normal everyday business use which could be deemed acceptable if reflective of the vehicle's age, mileage, and overall condition;
- all parties should be aware of their responsibilities where monitoring, maintenance and repair of company vehicles is concerned - this will differ from fleet to fleet;
- when repairs are carried out long term guarantees should be sought to avoid future problems;

- maintenance and servicing should follow the manufacturer's recommended schedule and be carried out by approved servicing agents;
- regular spot checks by fleet operators or local supervisors will help ensure any problems with the vehicle (or driver) are identified at an early stage;
- a vehicle log book system will help both drivers and fleet operators keep track of any vehicle damage, problems or areas of worsening wear and tear;
- the vehicle user should be responsible for a minimum weekly check on oil, water and tyre pressure;
- a schedule of regular cleaning and valeting should be worked out between the vehicle user and fleet operator/ supervisor;
- all documents must be intact and in the vehicle on its return to the leasing company.

User's Responsibility

- note any damage, mechanical problems or areas of worsening wear and tear in the vehicle log book;
- a minimum weekly check on oil, water and tyre pressure by the vehicle user,

with the result of each check noted in the vehicle log book. This will also help keep tabs on vehicles which may be losing oil or water or have a slow puncture;

- maintain the vehicle custodian log with maintenance schedules;
- regularly clean the bodywork, upholstery and trim;
- the vehicle should not be used to tow beyond its capacity.

Most common causes of wear and tear issues:

- lack of regular checks by the vehicle user and/or fleet operator, leading to
 - faults and damage going undetected and unrepaired;
 - not adhering to the vehicle manufacturer's recommended maintenance and servicing schedule;
 - drivers not taking responsibility for the day to day care and maintenance of the vehicle;
 - poor quality of body repairs, leading to general neglect;
 - drivers provided with insufficient information to enable them to responsibly fulfill their obligation to maintain the vehicle.
-

General Fair Wear & Tear

Maintenance and servicing

Regular maintenance and servicing should be carried out by a franchised dealer or a servicing agent approved by the leasing company, according to the manufacturer's guidelines, using approved service parts and lubricants. Any defects or damage that occur during normal vehicle use should be rectified as soon as authority for the repair has been granted.

The vehicle instruction book, including the full service record and any other documents relating to vehicle equipment are the responsibility of the driver, and must be intact and available. These documents must be in the vehicle when it's returned at the end of the lease - including details of the radio codes if applicable.

Appearance

Regular cleaning of both the exterior

and interior of the vehicle is will help ensure no wear and tear issues arise. At the end of the lease, the vehicle should be returned in a suitably clean condition to allow for a thorough inspection of the paint, body and interior.

Additional Equipment

Accessories such as car telephones that have been installed need to be removed before returning the vehicle. Any holes or damage should be repaired to a professional standard. All standard equipment, together with non-standard or 'customised' fittings originally supplied, must also be returned at the end of the contract period.

Badges and Labels

Non-standard badges, labels or advertising fitted to the bodywork or glass of the vehicle should be removed, with any damage caused by their

attachment or removal repaired. Any colour fade on paintwork due to the attachment of advertising would be chargeable to the user. Advertising should never be painted directly onto the vehicle.

Keys and Security

A full set of keys should be made available along with a note of their numbers. If the locking system is remote, the appropriate key fobs should be available and functioning. The vehicle master key which controls the vehicle's engine management system must be returned at the end of the lease.

If the vehicle was originally supplied with a security system, this should be intact and fully operational, including any key or key fob necessary for operation. Any additional, non-standard security system should be fitted according to a recognised standard.

Vehicle Exterior

Body Damage



Any damage must be repaired as and when it occurs. All work should be completed to a professional standard,

with any applicable anti-corrosion guarantees taken into consideration. Obvious evidence of repair such as colour mismatch or mis-alignment between panels is unacceptable.

Dents



Minor dents (20mm in diameter) are acceptable as long as the paint surface has not been penetrated so that bare metal

is visible or corrosion has set in. Multiple dents occurring on a single panel (no matter how small) is considered unacceptable, and the panel should be repaired or replaced.

Paintwork



Small areas of stone chipping, door edge chipping and light scratches (up to 25mm in length) are acceptable, relative to the

vehicle's age and mileage, as long as they have not penetrated through to the base metal and caused corrosion. If stone chippings have penetrated through to the metal, suitable touching up should be carried out immediately to prevent further paint deterioration. Exterior paintwork should be free from major abrasions (more than 25mm in length) such as paint damage caused by continual use of automatic car-washing, and have good gloss and colour. Colour mismatch between panels, or poorly fitting panels, would need to be rectified prior to the vehicle being returned. All repairs to the bodywork must be suitably re-rust proofed up to the manufacturer's recommended standards. Bird excrement should be immediately removed.

Bumper Sections and Rubbing Strips

Provided these are not broken, cracked or deformed a limited amount of scuffing and score marks is acceptable.

Window Glass

Cracks or damage within the driver's sight line are not acceptable and would require windscreen replacement. If relatively minor, repair using resin impregnation to motor registry standards is acceptable. Light scratches and minor chipping around the periphery of the windscreen is accepted as fair wear and tear. The windscreen must be able to pass a roadworthy inspection.

Lamp Glasses/Lens



All lamps must be operational. Minor scuff marks or scratches are acceptable, but holes or cracks in the

glass or plastic covers or lamp units are not.

Vehicle Interior

Interior Trim



The interior should be clean and tidy with no visible burns, tears or permanent staining to the seats, headlining

or carpets. Wear and soiling through normal use is acceptable, as are any repairs that are not readily visible. Stitching that has come apart is unacceptable and needs to be repaired.

Luggage Area

Surface scoring and light blemishes that reflect normal use are acceptable, but floor coverings and surrounding trim panels should not be torn or split.

Light Commercial Vehicles

For light commercial vehicles it is recommended that a lining be fitted in the load area to prevent serious damage to the vehicle's interior, as excessive damage to this area is unacceptable.

Door Opening Tread Area

A reasonable amount of scuffing to the door and luggage area treads and sills is acceptable providing paintwork has not been damaged down to bare metal and aperture seals are not torn.

Controls



All original controls must be intact and operate correctly. If replacement has been necessary,

e.g. due to theft, then equipment of a similar value and specification, preferably of the same manufacture as the original, should be fitted. All odometer alterations must be reported and unauthorised odometer changes are unacceptable.

Information stored in GPS/Satellite Navigation Systems should be deleted. Missing parts and items will be recharged.

Rubber Seals

Normal wear will cause a certain amount of damage and splits to rubber door and other seals, but any evidence of neglect or misuse is unacceptable. If a seal becomes displaced it should

Vehicle Underside

Underside

Minor dents and deformation, such as stone damage, is acceptable as long as it has not caused major corrosion. Any suspected impact damage should be investigated and dealt with professionally, as significant damage or distortion to chassis components is not acceptable.

Exhaust System

The system should be properly suspended and in efficient working order, with no gas leaks or evidence of blowing from the exhaust system joints and in undamaged condition.

The exhaust system should be in a condition to meet motor registry requirements in all aspects, particularly if fitted with a catalytic converter. CAT failure is unacceptable and preventable through:

- using the correct fuel;
- regular servicing and maintenance;
- immediately investigating any poor running symptoms;

- not tow or clutch starting (for manual transmission) of the vehicle.

Oil Leaks

Any serious oil leakage should be rectified at the earliest opportunity. Some minor oil misting or dampness around seals or gaskets is acceptable, providing oil drips are not present.

Wheels and Wheel Trims



Dents or damage to the rim or main body of the wheels are not acceptable. All four wheel trims must be intact,

with no more than minor scuffing due to everyday use. If mudflaps are standard equipment they must be intact and properly attached. The spare wheel, jack and appropriate wheel tools must be stowed properly and in good working order.

Tyre Wear and Damage



All tyres, including the spare, must meet motor registry requirements and comply with the vehicle manufacturer's

recommendations of tyre type, size and speed rating. There should be no obvious damage to sidewalls or tread caused by 'kerbing' or other heavy misuse.

Missing Spare Tyre



The spare tyre should not be missing.

Mechanical Condition

Regular servicing and maintenance through a Maxxia approved repairer and in accordance with the vehicle manufacturer's servicing programmes should keep the vehicle in sound mechanical condition. The following examples are conditions usually caused

by vehicle neglect or misuse and therefore are not regarded as fair wear and tear.

- Brakes Grooved brake discs caused by metal to metal contact.
- Engine Seized due to running

vehicle with insufficient coolant, lubricating oil and with broken internal components.

- Transmission Slipping, erratic gear changing, clutch slipping, noisy transmission or ineffective synchromesh.

| These descriptions relate to passenger vehicles having travelled less than 100,000 kilometres. Wear and tear commensurate with higher kilometres, commercial and heavy duty usage will generally apply. | Fair Wear & Tear |
|---|------------------|
| General | |
| • Missing Service Manual, Owner's Manual | No |
| • Missing keys or security system remote (if applicable) | No |
| Equipment | |
| • e.g. Missing/damaged cigarette lighter, knobs, trims, aerials | No |
| • e.g. Missing/damaged tools, jack | No |
| • Information stored in GPS/Satellite Navigation systems should be deleted | |
| Glass | |
| • 1 or 2 minor chips, bullseyes and stars (not in field of vision) | Yes |
| • Major chips, bullseyes and stars (and minor chips in field of vision) | No |
| • Non-operational or cracked/broken headlights or lenses | No |
| Tyres | |
| • Unroadworthy | No |
| • Missing spare tyre | No |
| Wheel Trims (including hubcaps) | |
| • Missing, split, badly disfigured, heavy scuffing | No |
| • Minor scuffing | Yes |
| Interior - trim/upholstery/carpets/controls | |
| • Screw holes from car phone removal | No |
| • Seats/trim - burnt, cut, holed, ripped, visible repairs | No |
| • Soiling to seats and carpets - caused by normal use | Yes |
| • Permanent soiling to seats and carpets - caused by abuse, spills, grease, etc | No |
| • Rips, cuts, marks, splits to trim and controls | No |
| • Normal odours, tobacco smells | Yes |
| • Missing or inferior quality replacement controls | No |
| • Torn or split luggage area trim panels and floor coverings | No |

| | |
|--|-----|
| Paint/Body | |
| • Minor scratching - less than 25mm in length and shallow, 2 per panel | Yes |
| • Major scratching - more than 25mm in length and deep, more than 2 per panel | No |
| • Minor touch ups or minor flaking | Yes |
| • Prominent touchups, spoils from bird/tree droppings, major flaking | No |
| • Evidence of poor repairs, colour mismatch, mis-alignment between panels | No |
| • Major abrasions - more than 25mm, signs of constant use of automatic car wash | No |
| • Dents - greater than 20mm diameter or paint surface penetration | No |
| • Dents - less than 20mm diameter, no paint surface penetration and no more than 2 per panel | Yes |
| • Hail damage, buckling, distortion, missing badges | No |
| • Minor stone chipping on bonnet, lower doors, wheel guards | Yes |
| • Prominent areas of major stone chipping | No |
| • Un-repaired or poorly repaired aerial holes (or aerial must be left in place) | No |
| • Damage caused to the vehicle due to the attachment or removal of decals/stickers | No |
| • Damage to paintwork from bird and bat droppings | No |
| Mouldings/Grille/Bumpers/Mudflaps | |
| • Minor parking damage - scuffing, light scratches | Yes |
| • Medium damage - divots, gouging, minor dents, cracks | No |
| • Major damage - rips, major dents, distortions, holes | No |
| • Missing moulds, grilles, bumpers or mudflaps originally fitted to the vehicles | No |
| Underbody | |
| • Minor dents and deformations | Yes |
| • Major impact damage | No |
| • Exhaust leaks which are the result of visible damage to the exhaust system | No |
| Mechanical Condition | |
| • Failure to service and maintain the vehicle as per the manufacturer's recommendations, resulting in premature component or assembly failure (e.g. engine seizure, metal to metal brakes, transmission failure) | No |



0800 MAXXIA (629942) | maxxia.co.nz

Maxxia Fleet Limited

Maxxia